

1. IDENTIFICATION OF THE SUBSTANCE AND COMPANY UNDERTAKING

General Chemical Name Boron nitride aerosol spray

Intended/recommended use: Research, chemical vapour deposition

Supplier (Distributor): New Metals & Chemicals Ltd.
Newmet House, Rue de St. Lawrence
Waltham Abbey, Essex, EN9 1PF
Telephone +44 (0)1992 711111

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient Name	Concentration	Classification*	CAS number	EINECS No.
Boron nitride	10-20%	Xn: R20 Xi: R36/37/38	10043-11-5	233-136-6
Propane/butane	50-70%	F+: R12	74-98-6/106-97-8	200-827-9/203-448-7
Ethanol	30-40%	F: R11	64-17-5	200-578-6

*see 16. OTHER INFORMATION for full text of R-phrases.

3. HAZARD IDENTIFICATION

Extremely flammable solvent vapour which is heavier than air and can accumulate near floor and in hollows.

Irritating to eyes, respiratory system and skin.

Harmful by inhalation

4. FIRST AID MEASURES

Inhalation If signs/symptoms like coughing or burning occur, remove person from exposure to fresh air immediately and administer 100 percent humidified supplement oxygen with assisted ventilation as required. If breathing has ceased DO NOT use mouth-to-mouth respiration. Apply

artificial respiration using oxygen and a suitable mechanical device such as a bag and a mask. Seek immediate medical attention.

Skin Contact	Flush skin with large amounts of water. Remove contaminated clothing. If irritation persists, seek medical attention
Eye Contact	DO NOT allow patient to rub or keep eyes closed. Irrigate with copious quantities of water for at least 15 minutes. Flush under eyelids by lifting lid. DO NOT use a static eye bath. Seek immediate medical attention.
Ingestion	DO NOT induce vomiting. If patient is conscious and alert, wash out mouth with water. Give 2 cupfuls of milk with great care. Give nothing by mouth if patient is unconscious. Seek immediate medical attention.

5. FIRE FIGHTING MEASURES

Precautions against fire and explosion

Extremely flammable liquid and vapour. Keep away from ignition sources. Do not smoke. Protect from sunlight and temperatures exceeding 50⁰C. Do not pierce or burn, even after use. Do not spray on naked flame or any incandescent material. In case of fire remove undamaged cans from area. If not possible cool with water to prevent bursting.

Extinguishing media which must not be used for safety reasons

not applicable

Exposure hazards arising from substance, combustion products, resulting gases

Nitrogen oxides, carbon monoxide and carbon dioxide may be formed in fire which are toxic and irritant.

Special protective equipment for fire fighters

Wear full protective clothing, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Evacuate all but essential authorised control personnel. Wear self-contained breathing apparatus and gloves to avoid inhalation, skin and eye contact. Provide sufficient ventilation.

Environmental Precautions

Prevent entry into drains, surface and ground water, soil and confined areas.

Methods for Cleaning up

Only trained, authorised personnel should be involved. Fully encapsulating protective clothing and self contained breathing apparatus should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Stop leak if you can do it without risk. Cover spills with dry sand, dry diatomaceous earth or dry salt followed with plastic sheet to minimise spreading. Collect material and place it into covered plastic containers, suitably marked, and dispose of through a licensed disposal contractor.

7. HANDLING AND STORAGE

Precautions for safe handling

To be handled by qualified and trained staff only. Avoid breathing dusts and vapour and direct contact with skin and eyes. Wash hands thoroughly after handling. See section 8 for personal protective equipment.

Ensure good ventilation/exhaustion at the workplace

Keep containers tightly sealed. Keep away from ignition sources.

Precautions for safe storage

Keep container cool, dry and tightly closed when not in use.

Product is extremely flammable.

Store away from materials listed under incompatibility (see section 10).

Do not expose to the sun. Keep away from ignition sources.

Storage period maximum 12 months after date of production.

Specific use

Research and CVD use

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values

Ingredient name	OES LTEL (8 hr TWA)	OES STEL (15 min)	MEL(LT)	MEL(ST)
Butane	600ppm	750ppm		
Propane	Asphyxiant			
Ethanol	1000ppm			

The usual precautionary measures should be adhered to in handling chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at end of the work. Avoid contact with the eyes and skin.

Occupational exposure controls

Eye Protection	Wear appropriate protective eyeglasses, chemical safety goggles or full face shield to European Standard EN 166.
Hand protection	Wear appropriate gloves when handling this material. Suitable material is butyl rubber. However, due regard must be taken that heavy gloves will interfere with the wearer's sense to touch and may contribute to a dangerous situation. Thinner gloves of nitrile and PVC may be used as disposable gloves and must be discarded immediately after use. Gloves should comply with European Standard EN 465-3 class 3.
Skin Protection	Use one or more of the following personal protection items as necessary to prevent skin contact: Full chemical protective suit to EN 465 standard, PVC apron, helmet and boots.
Respiratory Protection	Avoid inhalation of dust. Select the following respirator based on airborne concentration of contaminants: Full face dust respirator. Half -mask air-supplied respirator to EN 147. Full-face high efficiency filter respirator to EN 147 or EN 12941/12942. Full-face or hood compressed air breathing apparatus to EN 139 or EN 270/271. Use appropriate local exhaust ventilation, to maintain airborne exposure below control limits.
Ingestion:	Do not eat, drink or smoke when using this product. Do not ingest. Exhibit the strictest hygiene control.

Environmental exposure controls

No specific environmental legislation applies, however in accordance with best practice only use in a fume cupboard or with local exhaust ventilation, ventilated to a scrubbing system. In case of fire, spillage, or leakage, prevent material from entering water courses, sewers or soil.

9. PHYSICAL AND CHEMICAL PROPERTIES

General information

Appearance	White liquid in aerosol form
Odour	Petroleum gas

Important health, safety and environmental information

pH	N/A
Boiling point/boiling range	N/A
Melting point/melting range	N/A
Flash point	N/A
Flammability (solid, gas)	Extremely flammable
Autoignition temperature	<300 ⁰ C spray dust
Explosive properties	Not determined
Oxidising properties	Not oxidising
Vapour Pressure	3.8 bar at 20 ⁰ C 7.4 bar at 50 ⁰ C
Relative density	<1g/cm ³ at 20 ⁰ C
Solubility Water	Insoluble

10. STABILITY AND REACTIVITY

Stability	Stable if used and stored according to specification.
Conditions to avoid	Bursting risk at temperatures exceeding 50°C
Materials to avoid	Oxidising agents
Hazardous Decomposition Products	On decomposition will produce nitrous vitriol gases,

11. TOXICOLOGICAL INFORMATION

Inhalation of large amounts of the vapour can cause narcotic effects. The solvent causes defatting of tissues and contact repetition can cause dermatitic effects.

Effects from eye contact	May cause severe irritation and damage to the eyes. Symptoms include irritation, redness and conjunctivitis.
Effects from skin contact	May cause skin irritation. Prolonged exposure may cause allergic dermatitis.
Effects from inhalation	May cause irritation to mucous membranes and upper respiratory tract. Symptoms include irritation of the eyes, nose and upper respiratory tract, wheezing, difficulty in breathing and industrial bronchitis.
Effects from ingestion	Irritating to digestive tract. Symptoms include abdominal pain, nausea, vomiting soreness/redness of the mouth and throat and dysphagia
(a) Acute toxicity (oral, inhalation, dermal)	not tested/no data
(b) Corrosive/irritation (eye, skin, respiratory tract)	not tested/no data
(c) Sensitisation (skin, respiratory)	not tested/no data
(d) Repeated-dose toxicity	not tested/no data
(e) Mutagenicity	not tested/no data
(f) Carcinogenicity	see below
(g) Reproductive toxicity	not tested/no data

There is no information that boron nitride is either carcinogenic or mutagenic.

There is sufficient evidence to indicate that the petroleum products are carcinogenic to man and are listed as category 2 carcinogens.

12. ECOLOGICAL INFORMATION

(1) Ecotoxicity

(a) Aquatic toxicity

- | | | |
|-------|--|--------------------|
| (i) | acute and chronic for fish | not tested/no data |
| (ii) | acute and chronic for daphnia | not tested/no data |
| (iii) | acute and chronic for algae fish | not tested/no data |
| (iv) | acute and chronic for other aquatic plants | not tested/no data |

(b) Soil toxicity

- | | | |
|-------|-----------------|--------------------|
| (i) | macro organisms | not tested/no data |
| (ii) | micro organisms | not tested/no data |
| (iii) | birds | not tested/no data |
| (iv) | bees | not tested/no data |
| (v) | plants | not tested/no data |
| (vi) | fauna | not tested/no data |

The material is not considered hazardous in the aquatic environment.

(2) Mobility

Not tested/no data

(3) Persistence and degradability

Not tested/no data

(4) Bioaccumulation potential

Not tested/no data

(5) Other adverse effects

No other effects are known.

13. DISPOSAL CONSIDERATIONS

All waste material to be contained in a plastic sealed bin, duly marked, and disposed of as special waste through a licensed waste contractor in accordance with "The Special Waste Regulations 1996". See sections 6 and 7.

14. TRANSPORT INFORMATION

The product is not permitted for shipment by airfreight

Shipment by Road, IMDG and ADR permitted.

(a)	Proper shipping name	Aerosols, flammable
(b)	UN number	1950
(c)	Packing Group	II
(d)	Class	2.1

15. REGULATORY INFORMATION

EC Supply: Chip-3 regulations 2002

Xn: Harmful F+: Extremely flammable

Risk Phrases:

- 12: Extremely flammable
- 20: Harmful by inhalation
- 36/37/38: Irritating to eyes, respiratory system and skin.

Safety Phrases:

- 7/8: Keep container tightly closed and dry.
- 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
- 16: Keep away from sources of ignition.
- 43: In case of fire, use water

This material is subject to the COSHH regulations 2002. See COSHH Essentials for further information.

16. OTHER INFORMATION

R Phrases Full Text:

- 11: Highly flammable
- 12: Extremely flammable
- 20: Harmful by inhalation
- 36/37/38: Irritating to eyes, respiratory system and skin

Abbreviations used:

CAS	Chemical Abstracts Service Registry Numbers
EINECS	European Inventory of Existing Commercial Chemical Substances
MSDS	Material Safety Data Sheet
HSE	Health and Safety Executive
TWA	Time Weighted Average
OES	Occupational Exposure Standards

This material should only be handled by qualified, trained persons, fully familiar with its dangerous properties. During use or handling, a minimum of two persons should always be available.

References:

Chemicals (Hazard Information and Packaging for Supply) Regulations 2002

Approved classification and labelling guide. Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 Guidance on Regulations L131

Approved Supply List. Information Approved for the Classification and labelling of Substances and Preparations Dangerous for Supply. Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. Approved List L129

Control of Substances Hazardous to Health Regulations 2002

Health and Safety at Work Act 1974

COSHH Essentials: Easy Steps to Control Chemicals. Control of Substances Hazardous to Health Regulations

Occupational Exposure Limits 2001/2002 EH40

European Inventory of Existing Commercial Substances (EINECS) available on the European Chemicals Bureau website at www.ecb.jrc.it/existing-chemicals

First Aid at Work. The Health and Safety (First Aid) Regulations 1981. Approved Code of Practice and Guidance L74

Personal Protective Equipment (EC Directive) Regulations 1992

The Selection, Use and Maintenance of Respiratory Protective Equipment: A Practical Guide HSG53

Cost and Effectiveness of Chemical Protective Gloves for the Workplace.

Guidance for Employers and Health and Safety Specialists. HSG206

Environmental Protection Act 1990 c43

Environmental Act 1995 c25

The Special Waste Regulations 1996

The Dangerous Substances and Explosive Atmospheres Regulations 2002