

Revision: 000

Date: 6th January 2004

## 1. IDENTIFICATION OF THE SUBSTANCE AND COMPANY UNDERTAKING

General Chemical Name Cerium(IV)-sulphate crystalline

Intended or recommended uses of substance: Research

Supplier (Distributor) New Metals & Chemicals Ltd  
Newmet House, Rue de St. Lawrence  
Waltham Abbey, Essex, EN9 1PF  
Telephone: +44(0) 1992 711111

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient name	Concentration /range	*Classification	CAS No	EINECS No
Cerium(IV)-sulphate	100%	Xn: R68/22 O: R8 Xi: R36/37/38	13590-82-4	237-029-5

\*see 16. OTHER INFORMATION for full text of R-phrases

## 3. HAZARD IDENTIFICATION

This product is irritant to the eyes, mucous membranes and skin.  
May cause irritation of respiratory organs and alimentary canal.  
Possible risk of irreversible effects if swallowed.  
Contact with combustible material may cause fire.

#### **4. FIRST AID MEASURES**

Inhalation	Move the patient to fresh air and administer 100 percent humidified supplemental oxygen with assisted ventilation as required. If breathing has ceased DO NOT use mouth-to-mouth respiration apply artificial respiration using oxygen and a suitable mechanical device such as a bag and a mask. Seek immediate medical attention.
Skin Contact	Flush skin with copious quantities of water. Remove and destroy all contaminated clothing and shoes. Seek immediate medical attention.
Eye Contact	DO NOT allow patient to rub or keep eyes closed. Irrigate with copious quantities of water for at least 15 minutes. Flush under eyelids by lifting lid. DO NOT use a static eye bath. Seek immediate medical attention.
Ingestion	DO NOT induce vomiting. If patient is conscious and alert, wash out mouth with water. Give nothing by mouth if patient is unconscious. Seek immediate medical attention.

Note: Ensure that medical personnel are aware of the material involved, and take precautions to protect themselves.

#### **5. FIRE FIGHTING MEASURES**

Precautions against fire and explosion

This substance is an oxidiser and its heat of reaction with reducing agents or combustibles may cause ignition.

Suitable extinguishing media

Carbon dioxide, extinguishing powder, water-jet.

Extinguishing media which must not be used for safety reasons

N/A

Special exposure hazards arising from the substance itself and its combustion products - including any gaseous by-products

Avoid exposure to material in dust , vapour or mist form. May evolve sulphuric acid, sulphur trioxide in a fire.

Special protective equipment for fire fighters

Wear self-contained breathing apparatus and full chemical protective clothing. Decontamination must follow before removal of gear. Show documents to the emergency services.

## **6. ACCIDENTAL RELEASE MEASURES**

Personal Precautions

Evacuate all but essential authorised control personnel. Wear self-contained breathing apparatus and gloves to avoid inhalation, skin and eye contact. Provide sufficient ventilation.

Structural firefighters` protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations.

Environmental Precautions

Prevent entry into drains, surface and ground water, soil and confined areas.

Methods for Cleaning Up

Only trained, authorised personnel should be involved. Fully encapsulating protective clothing and self contained breathing apparatus should be worn for spills and leaks . Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Cover spills with dry sand, dry diatomaceous earth or dry salt followed with plastic sheet to minimise spreading. To avoid dust formation do not dry sweep. Do not vacuum. Collect material and place it into loosely covered plastic containers.

Place residues in a closed plastic container, suitably marked, and dispose of through a licensed waste disposal contractor.

Wash spill site with water and detergent. Do not allow effluent to enter sewers or water courses.

## **7. HANDLING AND STORAGE**

Precautions for safe handling

Handle in a fume cupboard or dedicated LEV room.  
Avoid breathing dusts or contact with skin and eyes.  
Do not get in eyes, on skin or on clothing. Do not ingest or inhale.  
Wash or decontaminate after handling. Wash hands before eating. Discard contaminated shoes.  
Keep container tightly closed.  
See section 8 for personal protective equipment.

#### Precautions for safe storage

Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances (see section 10). The material can reduce the ignition temperature of flammable substances. This substance is an oxidiser and its heat of reaction with reducing agents or combustibles may cause ignition. Do not use metal containers for storage due to corrosive nature of material.

#### Specific use

Research.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure limit values

Ingredient name	OES LTEL (8hr TWA)	OES STEL (15min)	MEL (LT)	MEL (ST)
-----------------	-----------------------	---------------------	----------	----------

There are no occupational limits for this material.

#### Occupational exposure controls

Eye protection	Wear appropriate protective eyeglasses, chemical safety goggles or full-face shield to European Standard EN 166.
Hand protection	Wear appropriate gloves. Gloves of nitrile or PVC may be used as single splash disposable gloves and must be discarded immediately after use. Gloves should comply with European Standard EN 374-3 class 3.
Skin protection	Use one or more of the following personal protection equipment as necessary. Full chemical protective suit to EN 465 standard, PVC apron, helmet and boots.

Respiratory protection	If product is not used in a fume cupboard or there is insufficient ventilation wear full face or hood compressed airline breathing apparatus to EN 139 or EN 270/271 alternatively use self contained breathing apparatus to EN 137. This equipment should always be available on standby.
Ingestion	Do not eat, drink or smoke when using this product. Do not ingest. Exhibit the strictest hygiene control.

#### Environmental exposure controls

No specific environmental legislation applies in the EU at present; however in accordance with best practice only use in a fume cupboard or with local exhaust ventilation. In case of fire, spillage or leakage, prevent material from entering water courses, sewers or soil.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### General information

Appearance	Yellow crystalline solid
Odour	Pungent

#### Important health, safety and environmental information

pH in aqueous solution	<1
Melting point/melting range	195 <sup>0</sup> C (dec.)
Boiling point	N/A
Flash point	N/A
Flammability (solid, gas)	Contact with combustible materials may cause fire.
Autoignition temperature	N/A
Explosive properties	N/A
Oxidising properties	Oxidising substance
Vapour pressure	N/A

Relative density 3.9g/cm<sup>3</sup> at 20<sup>0</sup>C

Solubility  
-water solubility Fully miscible

## 10. STABILITY AND REACTIVITY

Conditions to avoid Stable under normal temperatures and pressures.

Materials to avoid Easily oxidised materials, reducing agents, organic materials, flammable substances.

Hazardous decomposition products Sulphur oxides.

## 11. TOXICOLOGICAL INFORMATION

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. However, the material may cause irritation to the eyes, skin and mucosa with corrosive effects. There is a possible risk of irreversible effects from ingestion.

Effects from eye contact May cause irritation. Symptoms include redness, watering with conjunctivitis.

Effects from skin contact May cause skin irritation. No allergic reaction have been reported.

Effects from inhalation Irritating to respiratory system. Repeated exposure may cause lung damage and disorders such as bronchitis. Symptoms include difficulty in breathing, tightness in chest, cough, and dyspnoea.

Effects from ingestion Ingestion may cause nausea, congestive failure, abdominal pain & vomiting, with the risk of irreversible effects.

- (a) Acute toxicity (oral, inhalation, dermal) not tested/no data
- (b) Corrosivity/irritation (eye, skin, respiratory tract)  
Irritant for skin, eyes and mucous membranes
- (c) Sensitisation (skin, respiratory)  
No sensitising effects known
- (d) Repeated-dose toxicity not tested/no data

- (e) Mutagenicity not tested/no data
- (f) Carcinogenicity  
No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
- (g) Reproductive toxicity (fertility, developmental)  
Reproductive effects have been observed on tests with laboratory animals.

<b>12. ECOLOGICAL INFORMATION</b>
-----------------------------------

- (1) Ecotoxicity
  - (a) Aquatic toxicity
    - (i) acute and chronic for fish not tested/no data
    - (ii) “ “ “ “ daphnia not tested/no data
    - (iii) “ “ “ “ algae not tested/no data
    - (iv) “ “ “ “ other aquatic plants not tested/no data
  - (b) Soil toxicity
    - (i) macro organisms not tested/no data
    - (ii) micro organisms not tested/no data
    - (iii) birds not tested/no data
    - (iv) bees not tested/no data
    - (v) plants not tested/no data
    - (vi) fauna not tested/no data

Hazardous in the aquatic environment. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage systems.

- (2) Mobility  
No data available
- (3) Persistence and degradability  
No data available
- (4) Bioaccumulation potential  
No data available

(5) Other adverse effects

No other effects are known.

<b>13. DISPOSAL CONSIDERATIONS</b>
------------------------------------

All waste material to be contained in a plastic sealed bin, duly marked, and disposed of as special waste through a licensed waste contractor in accordance with “The Special Waste Regulations 1996”. See sections 6 and 7.

<b>14. TRANSPORT INFORMATION</b>
----------------------------------

<u>Airfreight (IATA)</u>	<u>Seafreight (IMDG)</u>	<u>Road (ADR)</u>	<u>Rail (RID)</u>
(a) UN number		3085	
(b) Class		5.1, 8	
(c) Proper shipping name		Oxidising solid, corrosive, n.o.s. (cerium(IV)-sulphate)	
(d) Packing group		III	
(e) Marine pollutant (if applicable)		N/A	
(f) Other applicable information		N/A	

<b>15. REGULATORY INFORMATION</b>
-----------------------------------

EC Supply - Chip-3 regulations 2002, regulation 9

Xn Harmful  
Xi Irritant  
O Oxidising

Risk Phrases:

8: Contact with combustible materials may cause fire.  
36/37/38: Irritating to eyes, respiratory system and skin.  
68/22: Possible risk of irreversible effects if swallowed.

Safety Phrases:

- 17: Keep away from combustible materials
- 24/25: Avoid contact with skin and eyes.
- 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
- 36/37/39: Wear suitable protective clothing, gloves and eye/face protection.

This material is subject to the COSHH regulations 2002. See COSHH Essentials for further information.

<b>16. OTHER INFORMATION</b>
------------------------------

R Phrases Full Text:

- 8: Contact with combustible materials may cause fire.
- 36/37/38: Irritating to eyes, respiratory system and skin.
- 68/22: Possible risk of irreversible effects if swallowed.

This material should only be handled by qualified, trained persons, fully familiar with its dangerous properties. During use or handling, a minimum of two persons should always be available.

*Chemicals (Hazard Information and Packaging for Supply) Regulations 2002*

*Approved classification and labelling guide. Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 Guidance on Regulations L131*

*Approved Supply List. Information Approved for the Classification and labelling of Substances and Preparations Dangerous for Supply. Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. Approved List L129*

*Control of Substances Hazardous to Health Regulations 2002*

*Health and Safety at Work Act 1974*

*COSHH Essentials: Easy Steps to Control Chemicals. Control of Substances Hazardous to Health Regulations*

*Occupational Exposure Limits 2001/2002 EH40*

European Inventory of Existing Commercial Substances (EINECS) available on the European Chemicals Bureau website at [www.ecb.jrc.it/existing-chemicals](http://www.ecb.jrc.it/existing-chemicals)

*First Aid at Work. The Health and Safety (First Aid) Regulations 1981. Approved Code of Practice and Guidance L74*

*Personal Protective Equipment (EC Directive) Regulations 1992*

*The Selection, Use and Maintenance of Respiratory Protective Equipment: A Practical Guide HSG53*

*Cost and Effectiveness of Chemical Protective Gloves for the Workplace.*

*Guidance for Employers and Health and Safety Specialists. HSG206*

*Environmental Protection Act 1990 c43*

*Environmental Act 1995 c25*

*The Special Waste Regulations 1996*

*The Dangerous Substances and Explosive Atmospheres Regulations 2002*